

DATA SHEET

FortiManager

Available in:







Appliance

Virtual Machine

FortiManager provides automation-driven centralized management of your Fortinet devices from a single console.

This probles full administration and visibility of your network.

This enables full administration and visibility of your network devices through streamlined provisioning and innovative automation tools.

Integrated with the Fortinet Security Fabric advanced security architecture and automation driven network operations capabilities provide a solid foundation to secure and optimize your network security.



Single-Pane Management streamlines centralized policy and object management, automatic revision history and control, and enhanced role-based access control (RBAC) features for script management and IPS management with role separation.

Security Fabric Automation simplifies the ZTP deployment process for SD-Branch (FortiGates and access devices) with powerful templates that directly utilize meta-variables for scalable provisioning to thousands of sites.

NOC Cloud Services offer the FortiManager platform as a service with new management extensions that can be pulled and installed from the cloud.

Key Features

- Centrally manage network and security policies for thousands of FortiGate NGFW's and Secure SD-WAN. Plus FortiSwitches, FortiAP, and FortiExtender. Provide signature updates to FortiGate, FortiMail, FortiSandbox, and FortiClient
- Get centralized distribution of security content and signatures through the use of the built-in FortiGuard module
- Simplify configuration, deployment and maintenance for Secure SD-WAN at-scale. Accelerate FortiExtender Wireless WAN connectivity with centralized management across distributed sites
- Reduce complexity and costs by leveraging automated REST API, scripts, connectors, and automation stitches
- Automate workflows and configurations for Fortinet firewalls, switches, and wireless infrastructure
- Separate customer data and manage domains leveraging ADOMs to be compliant and operationally effective
- High availability to automate backups for up to five nodes with streamlined software and security updates for all managed devices

1

FEATURE HIGHLIGHTS

Single Pane Management

Single pane management provides centralized management and provisioning strategy for Fortinet devices. Our devices integrated into the Fortinet Security Fabric to apply access control, segmentation, and consistent protection of devices, applications, and users.

Device Configuration and Provisioning

FortiManager expands the network administrator's capabilities with a rich set of tools to centrally manage up to 100 000 devices including FortiGate NGFWs, FortiExtender, FortiSwitch switches, FortiAP access points, Fortinet Secure SD-WAN, and more.

You can collectively configure device settings and use new enhanced CLI templates with variables, and provisioning templates to assign firmware and policy packages from a single console, including policy and object revision history for auditing.

FortiManager includes extended SSL and certificate support for enhanced ssl-ssh-profile configuration, as well as Restricted IPS Admin Profiles to support customers that are transitioning and upgrading from dedicated IPS solutions to Fortinet products.

Automated device configuration backups and revision control make daily administrative tasks easy. It includes change tracking in the enhanced Event Log view for review of configuration and change detail for auditing and compliance.

FortiManager also now enables admins to configure and assign custom commands on FortiSwitch and configure MCLAG from the FortiSwitch Manager.

Multi-Tenancy and Role-Based Administration

FortiManager provides granular device and role-based administration for clear visibility of every device and user on the network. This facilitates zero-trust, multi-tenancy deployments for large enterprises and a hierarchical objects database for re-use of common configurations to serve multiple customers.

ADOMs (administrative domains) are used to manage independent security environments, each with its own security policies and configuration database. The intuitive GUI makes it easy for admins to view, create, clone, and manage ADOMs, define global Objects, Policies, and Security Profiles across ADOMs, with Health Check to ensure ADOMs are in sync.

FortiManager's zero-touch deployment utilizes templates to provision devices for quick mass deployments. It also supports firmware version enforcement for defining firmware requirements for installs and upgrades.

The IPS admin is a restricted user role for performing only IPS related object configuration and installations. Admin users can also be assigned per-admin UI background themes for unique visual associations.

Security Policy and Objects Management

FortiManager Policy and Objects views enable admins to centrally manage and configure device policies, including updating network settings, antivirus definitions, intrusion prevention signatures, access rules, and software updates.

The global policy feature allows MSSP and PaaS providers to apply ADOM level header/footer policies for updating all policy packages or select packages. Policy and Objects views now include a revision history, providing an account of admins who have made changes, change date, summary, and a mandatory change notes field to capture change reason.

The per-policy lock feature allows admins to control the policy change by implicitly locking a policy rule when a policy is changed. Admins can also group commonly used policies in a policy block and insert in different Policy Packages.



Secure SD-WAN

FortiManager offers powerful SD-WAN management capabilities using intuitive workflows and simplified provisioning at scale. Leverage application centric SD-WAN business policies to fine-tune traffic steering decisions based on performance service level agreement (SLA) targets for each WAN provider.

Admins can use the SD-WAN monitoring dashboard to keep an eye on application performance and bandwidth utilization per WAN link. FortiAnalyzer can be integrated for enhanced analytics views and SD-WAN assessment reports.



FEATURE HIGHLIGHTS

Manage and Monitor with Deep Visibility

The FortiManager Device Manager provides full visibility, access, and management of Fortinet managed devices, interfaces, scripts, templates, automation, users, settings, and more. Install, edit, and delete policies. Monitor the health of FortiGate devices through customizable dashboards and widgets to see resource usage, network status of DHCP, IPsec and SSL VPN, routing, traffic shapers, and more. Easily navigate the hierarchical tree with categories for managed devices, logging devices, unauthorized devices, and customize to display as a table, folder, or a map view.

Use Fabric View to check Security Fabric ratings and configurations of FortiGate devices or groups. Access vital security and network statistics, as well as real-time monitoring and topology information to provide visibility into network and user activity. Add a FortiAnalyzer appliance or virtual machine (VM) for powerful analytics and enhanced Fabric view with asset and identity info, additional data mining, statistical analysis, and graphical reporting capabilities.

FortiManager High Availability (HA)

FortiManager high availability (HA) provides enhanced reliability, data protection, redundancy, and operational performance. These ensure agreed-upon uptime and availability requirements are met. In the event that the operating FortiManager unit fails, a backup FortiManager (one primary and up to four secondary) unit can take the place of the failed unit, making sure that companies have seamless access to their devices and business-critical network operations.


The FortiManager HA Cluster Wizard now also supports defining a hostname for each cluster member, exposing the session-pick option from the GUI, as well as the option to dedicate an interface for management of the individual cluster member.

Security Fabric Automation

Network and Security Operations Visibility (NOC/SOC)

FortiManager supports NOC-SOC workflows to assist network teams in maintaining optimal performance. Automated data exchanges between security (SOC) workflows and operational (NOC) workflows, create a single, complete workflow that not only saves time, but also provides the capacity to complete additional incident response activities.

Integration with FortiAnalyzer magnifies visibility with advanced data visualization and analytics. This helps analysts quickly connect-the-dots, identify threats, and simplify the expeditious configuration and security of managed devices.



Automation and Connectors

Utilize automation and orchestration and optimize network operations with FortiManager through querying of FortiGate NGFWs and the Fortinet Security Fabric via application programming interfaces (APIs). This will actively collect and share network information and broaden end-to-end visibility and response.

FortiManager reduces complexity and cost by leveraging REST API, scripts, connectors, and FortiGate automation stitches to automate time-intensive processes and accelerate workflows. This helps NOC and SOC teams by reducing administrative tasks, and addressing talent shortages. Admins can automate common tasks such as provisioning of FortiGate NGFWs and configuring new or existing devices.

Join the <u>Fortinet Developer Network (FNDN)</u> for exclusive access to articles, how-to content for automation and customization, community-built tools, scripts, and sample code.



FEATURE HIGHLIGHTS


NOC Cloud Services

Management Extensions

The Management Extensions pane allows rapid expansion of the single pane to manage more Security Fabric products. The built-in engine runs containerized management extension applications (MEAs) pulled from FortiGuard Labs Threat Intelligence.

FortiManager's MEAs include modules for the following:

- SD-WAN automation for network wide-configuration, management and monitoring of FortiGate NGFWs on your SD-WAN network
- FortiPortal for cloud-based security and log management, allowing MSSPs to delegate controlled access to device configuration and analytics
- FortiWLM to monitor, operate, and administer wireless networks on FortiGate NGFWs that are managed by FortiManager
- FortiSigConverter to convert Snort network intrusion detection and prevention system rules to Fortinet supported IPS signatures directly into FortiManager
- FortiAuthenticator for identity and access management, allowing admins to provide access to protected network assets and track user activity and compliance with security policies
- FortiSOAR Full Security Orchestration, Automation and Response features with a subscription to FortiSOAR



Dynamic Cloud Security

Fortinet cloud security and management solutions offer organizations a PaaS-based delivery option for central management of FortiGate devices from a cloud-based FortiManager.

FortiManager Cloud provides an automation-driven and single pane-of-glass management capability that is easy-to-implement, easy-to-manage, flexible, and scalable.

Use the single sign-on portal to manage Fortinet NGFW and SD-WAN. The built-in cloud-init service allows admins to easily customize a prepared image of a virtual installation for KVM, AZURE, and AWS. FortiManager cloud-based network management helps organizations streamline FortiGate provisioning with automation-enabled management of Fortinet devices.

With the FortiCloud Premium subscription, customers can easily enable the FortiManager Cloud service with the FortiAnalyzer Cloud with SOCaaS license, providing access to manage a range of Fortinet solutions and services for simplified network and security management. Customers can easily access their FortiManager Cloud from their FortiCloud single sign-on portal.

Security Fabric and Third Party Integration

FortiManager integrates with ITSM to seamlessly mitigate security incidents and events, apply configuration changes, and update policies. Integration with FortiAnalyzer provides in-depth discovery, analysis, prioritization, and reporting of network security events.

Use Fabric connectors to facilitate connections with third-party vendors like vCenter, pxGrid, ClearPass, OCI, ESXi, AWS, and others to share and exchange data.

The FortiManager workflow for audit and compliance enables review, approval, and auditing policy changes. These include automating processes for policy compliance, policy lifecycle management, and enforced workflow to reduce risk.

Trusted Platform Module (TPM) Encryption

FortiManager G Series features a dedicated micro-controller module that hardens physical networking appliances by generating, storing, and authenticating cryptographic keys in TPM. This hardware-based security mechanism protects users from malicious software and phishing attacks.



VIRTUAL OFFERINGS

FortiManager Virtual Machines

FortiManager virtual machines are a virtual version of the hardware appliance and are designed to run on many virtualization platforms, offering all the latest features of the FortiManager appliance. They allow organizations to centrally manage any number of Fortinet network security devices and scale from several to thousands, supporting centralized management, best practices compliance, and automated workflows to deliver superior protection against threats. FortiManager-VMs are available in both a subscription and perpetual offering.

FortiManager-VM-S

The new FortiManager-VM subscription license model consolidates the VM product SKU and the FortiCare Support SKU into a single SKU to simplify the product purchase, upgrade, and renewal.

The FortiManager-VM S Series SKUs come in stackable subscriptions to manage 10, 100, and 1000 devices/ VDOMs. Multiple units of this SKU can be purchased at one time to increase the number of devices/ VDOMs as needed. This SKU can also be purchased with other FortiManager-VM-S SKUs to expand the total number of devices/ VDOMs.

FortiManager-VM

Fortinet offers the FortiManager-VM in a stackable license model. This software-based version of the FortiManager hardware appliance is designed to run on many virtualization platforms, which allows you to expand your virtual solution as your environment expands. The FortiManager virtual appliance family minimizes the effort required to monitor and maintain your network and offers all the features of the FortiManager hardware appliance.

SPECIFICATIONS

FORTIMANAGER VIRTUAL APPLIANCES	FMG-VM-10-UG	FMG-VM-100-UG	FMG-VM-1000-UG	FMG-VM-5000-UG
Capacity				
Devices/VDOMs (Maximum) ^{1, 3}	10 +	100 +	1000 +	5000 +
Storage Capacity	200 GB	1 TB	4 TB	8 TB
GB/ day of Logs²	2	5	10	25
Chassis Management	\odot	\odot	\odot	\odot
Virtual Machine				
Hypervisor Support	Up-to-date hypervisor support can be found in the release notes for each FortiManager version. Visit https://docs.fortinet.com/product/fortimanager/ and find the Release Information at the bottom section. Go to "Product Integration and Support" \rightarrow "FortiManager [version] support" \rightarrow "Virtualization"			
vCPU Support (Minimum / Maximum)	4 / Unlimited			
Network Interface Support (Min / Max) ⁴	1/4			
Storage Support (Minimum / Maximum)	100 GB / 16 TB			
Memory Support (Minimum / Maximum)	8 GB / Unlimited for 64-bit			
High Availability Support	Yes			

- 1 Each virtual domain (VDOM) operating on a physical or virtual device counts as one (1) licensed network device.
- 2 Storage capacity and GB/ day of logs are not stackable. These values represent the maximum available with purchased license.
- 3 +Indicates device add-on license available.
- 4 VM supports up to 12 vNIC interfaces/ports. Applicable to 6.4.3+. Actual consumable numbers vary depending on cloud platforms.



SPECIFICATIONS

	CONTINET.	FERTIDET	
FORTIMANAGER APPLIANCES	FMG-200G	FMG-300F	FMG-400G
Capacity and Performance			
Devices/VDOMs (Maximum) ¹	30	100	150
Sustained Log Rates	50	50	50
GB/ day	2	2	2
Hardware Specifications			
Storage Capacity	8 TB (2 × 4 TB)	16 TB (4 × 4 TB)	32 TB (8 × 4 TB)
Jsable Storage (after RAID)	4 TB	8 TB	24 TB
RAID Levels Supported	RAID 0/1	RAID 0/1,1s/5,5s/10	RAID 0/1,1s/5,5s/6,6s/10/50/60
Default RAID Level	1	10	50
Hardware Form Factor	1 RU Rackmount	1 RU Rackmount	2 RU Rackmount
otal Interfaces	4xRJ45 GE	4 x GE RJ45, 2 x SFP	4 x GE RJ45, 2 x SFP
console Port	RJ45	RJ45	RJ45
emovable Hard Drives	No	\bigcirc	\odot
ledundant Hot Swap Power Supplies	No	⊘ *	\odot
PM Encryption ²	Gen2	No	\odot
Dimensions			
leight x Width x Length (inches)	1.73 × 17.24 × 16.38	1.75 × 17.44 × 22.16	3.5 × 17.5 × 22.2
leight x Width x Length (cm)	4.4 × 43.8 × 41.6	4.4 × 44.3 × 56.3	8.8 × 44.5 × 56.5
Veight	22.5 lbs (10.2 kg)	28.6 lbs (13.0 kg)	35.27 lbs (16 kg)
invironment			
C Power Supply	100-240V 50-60 Hz	100-240V AC, 50-60 Hz	100-240V AC, 50-60 Hz
ower Consumption (Average / Maximum)	90.1W / 99 W	108W / 186 W	140 / 182 W
leat Dissipation	337.8 BTU/h	634 BTU/h	621 BTU/h
perating Temperature	32-104°F (0-40°C)	32-104°F (0-40°C)	32-104°F (0-40°C)
torage Temperature	-13-167°F (-25-75°C)	-31-158°F (-35-70°C)	-4-167°F (-20-75°C)
lumidity	20 to 90% non-condensing	20 to 90% non-condensing	5–95% non-condensing
Operating Altitude	Up to 7400 ft (2250 m)	Up to 7400 ft (2250 m)	Up to 7400 ft (2250 m)
Compliance			
Safety Certifications	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, RCM, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB

¹ Each virtual domain (VDOM) operating on a physical or virtual device counts as one (1) licensed network device. Global policies and high availability support available on all models.

2 Gen2 refers to hardware that has been upgraded since initial release

* Optional redundant AC power supply, not included.



SPECIFICATIONS









FORTIMANAGER APPLIANCES	FMG-1000F	FMG-2000E	FMG-3000G	FMG-3700G
Capacity and Performance				
Devices/VDOMs (Maximum) ^{1,3}	1000	1200	4000+	10 000+
Sustained Log Rates	50	50	150	150
GB/ day	2	2	10	10
Hardware Specifications				
Storage Capacity	32 TB (8× 4TB)	36 TB (12× 3 TB)	64 TB (16 × 4TB)	240TB (60× 4TB) HDD + 19.2TB (6× 3.2TB) NVMe SSD
Usable Storage (after RAID)	24 TB	30 TB	56 TB	224 TB
RAID Levels Supported	RAID 0/1,1s/5,5s/6,6s/10/50/60	RAID 0/1,1s/5,5s/6,6s/10/50/60	RAID 0/1,1s/5,5s/6,6s/10/50/60	RAID 0/1,1s/5,5s/6,6s/10/50/60
Default RAID Level	50	50	50	50
Hardware Form Factor	2 RU Rackmount	2 RU Rackmount	3 RU Rackmount	4 RU Rackmount
Total Interfaces	2x RJ45 10GE ports, 2x SFP+ ports	4x GE, 2× 10 GE SFP+	2 x GE RJ45 ports, 2× 25GE SFP28	2× 25GE SFP28, 2× 10GE RJ-45
Console Port	DB-9	DB-9	DB-9	DB-9
Removable Hard Drives	\odot	⊘	⊘	⊘
Redundant Hot Swap Power Supplies	\bigcirc	\odot	\odot	\odot
TPM Encryption ²	No	No	No	\odot
Dimensions				
Height x Width x Length (inches)	3.5 × 17.2 × 25.6	3.5 × 17.2 × 25.6	5.2 × 17.2 × 25.5	7.0 × 17.2 × 30.2
Height x Width x Length (cm)	8.9 × 43.7 × 65.0	8.9 × 43.7 × 64.8	13.2 × 44.0 × 65.0	17.8 × 43.7 × 76.7
Weight	34 lbs (15.42 kg)	58 lbs (26.3 kg)	65.5 lbs (30.15 kg)	120 lbs (54.6 kg)
Environment				
AC Power Supply	100-240V AC, 50-60 Hz	100-240V AC, 50-60 Hz	100-127V~/10A, 200-240V~/5A Hz	2000W AC 4
Power Consumption (Average / Maximum)	192.5W/275 W	293.8W/354 W	449W/541 W	850/ 1423.4 W
Heat Dissipation	920 BTU/h	1209 BTU/h	1846.5 BTU/h	4858 BTU/h
Operating Temperature	50-95°F (10-35°C)	50-95°F (10-35°C)	32-104°F (0-40°C)	50-95°F (10-35°C)
Storage Temperature	-40-140°F (-40-60°C)	-40-158°F (-40-70°C)	-40-167°F (-20-75°C)	-40-158°F (-40-70°C)
Humidity	8–90% non-condensing	8–90% non-condensing	5–95% non-condensing	5–95% non-condensing
Operating Altitude	Up to 7400 ft (2250 m)	Up to 7400 ft (2250 m)	Up to 7400 ft (2250 m)	Up to 7400 ft (2250 m)
Compliance				
Safety Certifications	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, RCM, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST	FCC Part 15 Class A, RCM, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST

¹ Each virtual domain (VDOM) operating on a physical or virtual device counts as one (1) licensed network device Global policies and high availability support available on all models.
2 Gen2 refers to hardware that has been upgraded since initial release
3 + Indicates device add-on license available.
4. 3700G must connect to a 200V - 240V power source.



ORDER INFORMATION

PRODUCT	SKU	DESCRIPTION	
FortiManager	FMG-200G	Centralized management appliance — 4xRJ45 GE, 8 TB storage, up to 30x Fortinet devices/VDOMs.	
	FMG-300F	Centralized management appliance — 4x GE RJ45, 2xSFP, 16 TB storage, up to 100 Fortinet devices/VDOMs.	
	FMG-400G	Centralized management appliance — 4 x GE RJ45, 2 x SFP, 32 TB storage, up to 150 Fortinet devices/ VDOMs.	
	FMG-1000F	Centralized management appliance — 2x RJ45 10G, 2x SFP+ slots, 32 TB storage, up to 1000 Fortinet devices/VDOMs.	
	FMG-2000E	Centralized management appliance — $4x$ GE RJ45, $2\times$ 10 GE SFP+ slots, 36 TB storage, dual power supplies, manages up to 1200 Fortinet devices/VDOMs.	
	FMG-3000G	Centralized management appliance — 2 x GbE RJ45 ports, 2× 25GbE SFP28, 64 TB storage, dual power supplies, manages up to 4000 Fortinet devices/VDOMs.	
	FMG-3700G	Centralized management appliance — 2× 25GE SFP28, 2× 10GE RJ-45, 240 TB + 19.2 TB storage, dual power supplies, manages up to 10 000 Fortinet devices/VDOMs.	
FortiManager-VM Subscription License with Support and BPS	FC1-10-FMGVS-448-01-DD	Subscription license for 10 devices/VDOMs managed by FortiManager-VM S series. 24×7 FortiCare support plus FortiCare Best Practice services included.	
	FC2-10-FMGVS-448-01-DD	Subscription license for 100 devices/VDOMs managed by FortiManager-VM S series. 24×7 FortiCare support plus FortiCare Best Practice services included.	
	FC3-10-FMGVS-448-01-DD	Subscription license for 1000 devices/VDOMs managed by FortiManager-VM S series. 24×7 FortiCare support plus FortiCare Best Practice services included.	
FortiManager-VM	FMG-VM-10-UG	Upgrade license for adding 10 Fortinet devices/VDOMs; allows for total of 2 GB/ day of logs and 200 GB storage capacity.	
	FMG-VM-100-UG	Upgrade license for adding 100 Fortinet devices/VDOMs; allows for total of 5 GB/ day of logs and 1 TB storage capacity.	
	FMG-VM-1000-UG	Upgrade license for adding 1000 Fortinet devices/VDOMs; allows for total of 10 GB/ day of logs and 4 TB storage capacity.	
	FMG-VM-5000-UG	Upgrade license for adding 5000 Fortinet devices/VDOMs; allows for total of 25 GB/ day of logs and 8 TB storage capacity.	
FortiManager-Cloud*	FC-10- [FortiGate Model Code]-179-02-DD	Cloud-based central management and orchestration service for FortiGate.	
	FC1-10-MVCLD-227-01-DD	Subscription for 10 devices/VDOMs managed by FortiManager Cloud. 24×7 FortiCare support included.	
	FC2-10-MVCLD-227-01-DD	Subscription for 100 devices/VDOMs managed by FortiManager Cloud. 24×7 FortiCare contract is inclu	
	FC3-10-MVCLD-227-01-DD	Subscription for 1000 devices/VDOMs managed by FortiManager Cloud. 24×7 FortiCare support included.	
Hardware Bundle	FMG-[Hardware Model]-BDL-447-DD	Hardware plus 24×7 FortiCare and FortiCare Best Practice Service.	
FortiManager Device Upgrade License	FMG-DEV-100-UG	FortiManager device upgrade license for adding 100 Fortinet devices/VDOMs (3000 series and above - hardware only).	

^{*} Requires FortiCloud Premium Account license

NOTE: For hardware models, the default number of ADOMs can be found in the Release Notes on docs.fortinet.com For FortiManager-VM Subscription licenses for 5 ADOMs are included. Additional ADOMs can be purchased.



www.fortinet.com

Copyright © 2021 Fortinet, Inc., All rights reserved. FortiGate*, Fortigate*,