

DATA SHEET

FortiDeceptor

Available in:



Deceive | Expose | Eliminate

FortiDeceptor is designed to **deceive, expose, and eliminate** external and internal threats early in the attack kill chain and proactively block these threats before any significant damage occurs.



Fortinet Security Fabric provides unified, end-to-end protection with Fortinet Next Generation Firewalls to tackle advanced persistent threats. Adding FortiDeceptor as part of a Breach Protection strategy helps evolve your defenses from reactive to proactive with intrusion-based detection layered with contextual intelligence. It automates the blocking of attackers targeting IT devices and OT system controls. FortiDeceptor automatically lays out a layer of decoys and lures, helping you conceal your sensitive and critical assets behind a fabricated Deception Surface to confuse and redirect attackers while revealing their presence on your network.

Advanced Threat Deception



DECEIVE external and internal threats with deceptive VM instances aka decoys, managed from a centralized location. Deploy a Deception Surface of real Windows, Linux, VPN, Medical IoT and SCADA VMs with services that are indistinguishable from real assets, e.g. production servers and lures embedded into devices designed to uncover the attackers.



EXPOSE hacker activity with early and accurate detection and actionable alerts enabled through tracing and correlation of an attacker's Tactics, Tools, and Procedures (TTPs) and active notification via Web UI, Email, SNMP traps, logs, and events via FortiSIEM and FortiAnalyzer.




ELIMINATE threats by automating threat response with FortiGates, FortiNAC, FortiSOAR, and third-party security solutions via Fortinet Security Fabric.



Feature Benefits

- **Simple and Easy to Use** with a wizard-based setup of IT/OT/IoT decoys and lures fine-tuned to your environment and centrally manage a distributed deception deployment across your IT and OT environments
- **Rapid investigation** with intelligent incident correlation into a campaign timeline of all activities including access, tools used, lateral movement, and more, layered with contextual threat intelligence from FortiGuard Labs
- **Eliminate Early Stage Attacks** with Security Fabric integration including FortiGate, FortiNAC, FortiSOAR, and third-party. Elevate threat visibility and hunting with FortiSIEM and FortiAnalyzer

DECEPTION WORKFLOW



- 1** FortiDeceptor deploys decoys with different OS types equipped with lures (e.g. RDP/ SMB/ Credentials/ HoneyDocs) that appear indistinguishable from real IT and OT assets and are highly interactive.
- 2** FortiDeceptor acts as an early warning system that exposes attacker’s malicious intent and tracks lateral movement, which translates to real-time alerts sent to FortiDeceptor, as well as FortiAnalyzer and FortiSIEM for review and validation. FortiDeceptor applies analytics powered by FortiGuard Labs, FortiSandbox, and VirusTotal intelligence, to a consolidated set of security events and correlates them to the campaigns with timeline of activities.
- 3** FortiDeceptor allows security analyst to manually investigate and apply manual remediation or automatically block these attacks based on severity before actual damage occurs via integration with FortiGate, FortiNAC, and FortiSOAR.

Feature Integration

FortiGate: FortiDeceptor shown prominently in FortiGate’s network topology map as a widget detailing system info, status, and deception servers list.



SPECIFICATIONS



FORTIDECEPTOR 1000F	
Capacity and Performance	
Size RAM	DDR4-2400 48 GB ECC RDIMM (16 GB*3)
On Board Flash	2 GB USB
Decoy VM Support	Combination of Windows 7, Windows 10, Windows 10 (customizable BYOL), Windows Server 2016 and 2019 (customizable BYOL), Linux, VPN Server, Medical (PACS, Infusion pump), POS, ERP, IoT (Router, Printer and Camera), and/or SCADA, up to 16 Decoys
Decoy Services	SSL VPN, SSH, SAMBA, SMB, RDP, HTTP/S, SQL, GIT, DICOM, Telnet, FTP, TFTP, SNMP, MODBUS, S7COMM, BACNET, IPMI, TRICONEX, GUARDIAN-AST, IEC104, EtherNet/IP, DNP3, JET-DIRECT, RTSP, UPnP, CDP and TCP port listener
Decoys Shipped	2 Win (1 x Win7 and 1 x Win10), and 8 Linux; Upgradable to max.16
Hardware Specifications	
Form Factor	1 RU Rackmount
Total Interfaces	4 x GE (RJ45), 4 x GE (SFP)
Storage Capacity	2 TB (2 x 1 TB HDD)
Usable Storage (After RAID)	1 TB
Removable Hard Drives	No
RAID Levels Supported	RAID 0/1
Default RAID Level	1
Optional (SKU: SP-FSA1000F-PS)	
Power Supply	Dual PSU Support (Shipped with single PSU) Additional PSU (SKU: SP-FSA1000F-PS)
Dimensions	
Height x Width x Length (inches)	1.73 x 17.24 x 22.83
Height x Width x Length (cm)	4.4 x 43.8 x 58.0
Weight	24 lbs (10.9 kg)
Environments	
AC Power Supply	100-240 VAC, 50-60 Hz
Power Consumption (Max / Average)	116.58 W / 66.93 W
Heat Dissipation	397.77 (BTU/h)
Operating Temperature	32°F to 104°F (0°C to 40°C)
Storage Temperature	-40°F to 158°F (-40°C to 70°C)
Humidity	5% to 90% (non-condensing)
Operating Altitude	Up to 7,400 ft (2,250 m) *
Compliance	
Safety Certifications	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB

* Operating at maximum temperature derates 1.5°C per 1,000 ft (305 m)

FORTIDECEPTOR VM	
Capacity	
Decoy VM Support	Combination of Windows 7, Windows 10, Windows 10 (customizable BYOL), Windows Server 2016 and 2019 (customizable BYOL), Linux, VPN Server, Medical (PACS, Infusion pump), POS, ERP, IoT (Router, Printer and Camera), and/or SCADA, up to 16 Decoys
Decoy Services	SSL VPN, SSH, SAMBA, SMB, RDP, HTTP/S, SQL, GIT, DICOM, Telnet, FTP, TFTP, SNMP, MODBUS, S7COMM, BACNET, IPMI, TRICONEX, GUARDIAN-AST, IEC104, EtherNet/IP, DNP3, JET-DIRECT, RTSP, UPnP, CDP and TCP port listener
Deception VMs Shipped	VM model 24x7 FortiCare, Deceptor Bundle Contract included license for Deception Decoys, Deception Lures plus FortiGuard Services Subscriptions (AREA, AV, IPS, and Web Filtering). 1 network VLAN unit price, minimum order of 2 VLANs. Support up to 16 Deception VMs and up to 128 network VLANs
Virtual Machine	
Hypervisor Support	VMWare vSphere ESXi 5.1, 5.5 or 6.0 and later, KVM
Virtual CPUs (Min / Max)	12 / Unlimited* Intel Virtualization Technology (VT-x/EPT) or AMD Virtualization (AMD-V/RVI)
Virtual Network Interfaces	6
Virtual Memory (Min / Max)	16 GB / Unlimited**
Virtual Storage (Min / Max)	200 GB / 16 TB***

* Fortinet recommends that the number of virtual CPUs is two plus the number of Deception VMs when each Deception VM requires 2vCPU.

** Fortinet recommends that the size of virtual memory is 4GB plus 2 GB for every Deception VM clone.

*** Fortinet recommends that the size of virtual storage is 1TB for production environment.



SPECIFICATIONS



FORTIDECEPTOR 1000G	
Capacity and Performance	
Size RAM	DDR4-2400 48 GB ECC RDIMM (16 GB*3)
On Board Flash	2 GB USB
Decoy VM Support	Combination of Windows 7, Windows 10, Windows 10 (customizable BYOL), Windows Server 2016 and 2019 (customizable BYOL), Linux, VPN Server, Medical (PACS, Infusion pump), POS, ERP, IoT (Router, Printer and Camera), and/or SCADA, up to 16 Deception VMs and 128 VLANs
Decoy Services	SSL VPN, SSH, SAMBA, SMB, RDP, HTTP/S, SQL, GIT, DICOM, Telnet, FTP, TFTP, SNMP, MODBUS, S7COMM, BACNET, IPMI, TRICONEX, GUARDIAN-AST, IEC104, EtherNet/IP, DNP3, JET-DIRECT, RTSP, UPnP, CDP and TCP port listener
Deception VMs Shipped	Deceptor Bundle Contract included license for Deception Decoys, Deception Lure plus FortiGuard Services Subscriptions (AREA, AV, IPS, and Web Filtering).1 VLAN unit price, minimum order of 2 VLANs
Hardware Specifications	
Form Factor	1 RU Rackmount
Total Interfaces	4 x GE (RJ45), 4 x GE (SFP)
Storage Capacity	2 TB (2 x 1 TB HDD)
Usable Storage (After RAID)	1 TB
Removable Hard Drives	No
RAID 1	RAID 1
Default RAID Level	1
Optional (SKU: SP-FSA1000G-PS)	
Power Supply	650W Redundant PSU (1+0) Additional PSU (SKU: SP-FSA1000G-PS)
Dimensions	
Height x Width x Length (inches)	1.73 x 17.24 x 23.62
Height x Width x Length (cm)	44 x 438 x 600
Weight	27.56 lbs (12.5 kg)
Environments	
AC Power Supply	100-240 VAC, 60-50 Hz, 650W Redundant PSU (1+0)
Power Consumption (Max / Average)	253.2 W / 202.56 W
Heat Dissipation	863.92 (BTU/h)
Operating Temperature	32°F to 104°F (0°C to 40°C)
Storage Temperature	-13°F to 158°F (-25°C to 70°C)
Humidity	10% to 90% (non-condensing)
Operating Altitude	Up to 7,400 ft (2,250 m) *
Compliance	
Safety Certifications	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB

* Operating at maximum temperature derates 1.5°C per 1,000 ft (305 m)



ORDER INFORMATION

FORTIDECEPTOR VM		
Product	SKU	Description
FortiDeceptor-VM Subscription License	FC1-10-DCVMS-496-02-DD	VM model 24x7 FortiCare, Deceptor Bundle Contract included license for Deception Decoys, Deception Lures plus FortiGuard Services Subscriptions (AREA, AV, IPS, and Web Filtering). 1 network VLAN unit price, minimum order of 2 VLANs. Support up to 16 Deception VMs and up to 128 network VLANs.
FORTIDECEPTOR HARDWARE		
Product	SKU	Description
FortiDeceptor-1000F	FDC-1000F	FortiDeceptor 1000F Appliance with 2 Windows Decoys (include 1x Win7 and 1 x Win10 licenses) and 8 Linux Decoys, upgradable up to max 16 Decoys.
	FC-10-FDC1K-291-02-DD	FortiDeceptor Anti-Reconnaissance & Anti-Exploit (ARAE) Service for ARAE engine, includes FortiGuard AV, IPS, Web Filtering updates.
	FC-10-FDC1K-247-02-DD	24x7 FortiCare Contract for (up to) 16 Decoys for FDC-1000F.
	FC-10-FDC1K-210-02-DD	Next Day Delivery Premium RMA Service (requires 24x7 support).
	FC-10-FDC1K-211-02-DD	4-Hour Hardware Delivery Premium RMA Service (requires 24x7 support).
	FC-10-FDC1K-212-02-DD	4-Hour Hardware and Onsite Engineer Premium RMA Service (requires 24x7 support).
	FC-10-FDC1K-301-02-DD	Secure RMA Service.
FortiDeceptor-1000G	FDC-1000G	FortiDeceptor 1000G Appliance. Support up to 16 Deception VMs and 128 VLANs.
	FC1-10-DC1KG-495-02-DD	Deceptor Bundle Contract included license for Deception Decoys, Deception Lure plus FortiGuard Services Subscriptions (AREA, AV, IPS, and Web Filtering).1 VLAN unit price, minimum order of 2 VLANs.
	FC-10-DC1KG-247-02-DD	24x7 FortiCare Contract.
	FC-10-DC1KG-210-02-DD	Next Day Delivery Premium RMA Service (requires 24x7 support).
	FC-10-DC1KG-211-02-DD	4-Hour Hardware Delivery Premium RMA Service (requires 24x7 support).
	FC-10-DC1KG-212-02-DD	4-Hour Hardware and Onsite Engineer Premium RMA Service (requires 24x7 support).
	FC-10-DC1KG-301-02-DD	Secure RMA Service.
FORTIDECEPTOR LICENSES ADD-ONS		
Product	SKU	Description
FortiDeceptor Central Management License	FC-10-FDCCM-497-02-DD	Central Management license for up to 50 FortiDeceptor devices.
FortiDeceptor Windows License*	LIC-FDC-WIN	Expands FortiDeceptor Licensed Windows VM capacity by 2. (1) Win7 and (1) Win10 license added.
FortiDeceptor Licenses**	FDC-UPG-LNX **	Expands FortiDeceptor capacity by 2 Linux Decoys. This upgrade SKU can be applied to FortiDeceptor VM or Physical Appliance.
	FDC-UPG-WIN7 **	Expands FortiDeceptor capacity by 2 Windows 7 Decoys. Include 2 x Windows 7 licenses. This upgrade SKU can be applied to FortiDeceptor VM or Physical Appliance.
	FDC-UPG-WIN10 **	Expands FortiDeceptor capacity by 2 Windows 10 Decoys. Include 2 x Windows 10 licenses. This upgrade SKU can be applied to FortiDeceptor VM or Physical Appliance.
	FDC-UPG-SCA **	Expands FortiDeceptor capacity by 2 SCADA Decoys. Include 2 x SCADA licenses. This upgrade SKU can be applied to FortiDeceptor VM or Physical Appliance.
	FC-10-FDC1K-287-02-DD **	Expands FortiDeceptor 1000F capacity by 1 x SSLVPN or ERP or POS or Medical or GIT or IoT Decoy offered as subscription service.
	FC-10-FDC1K-292-02-DD **	Expands FortiDeceptor 1000F capacity by 1 x customisable Win10 client OR server 2016/2019 decoy, offered as subscription service. Does not include Windows licenses i.e. BYOL.

* This Windows License apply for FDC-VM and FDC-1000G only.

** All these SKUs apply to FDC-1000F only.



www.fortinet.com

Copyright © 2021 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.